

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	29559	touch adj screen and determin\$6 adj touch adj position and (ratio\$6 and current\$1 and flow\$6 and terminal\$1) and (apply\$6 and impedance and determin\$6 and error\$1) and (correct and and determin\$6 adj touch adj position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 08:19
L2	23	touch adj screen	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 16:02
L3	5	touch adj screen adj calibration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 16:02
L4	0	touch adj screen adj calibration adj system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 16:03
L5	4	touch adj screen adj calibration adj system and terminals and control and circuit and signal and sensing and current	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 16:06
L6	4	touch adj screen adj calibration adj system and terminal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 16:06
L7	4	touch adj screen adj calibration adj system and terminal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 16:07
L8	0	touch adj screen adj calibration adj system and terminal\$1 and control\$6 and circuit\$6 and signal\$6 and sens\$6 and current\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 16:07
L8	13	touch adj screen adj calibration and terminal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 16:07

L9	7	touch adj screen adj calibration and terminal\$1 and control\$6 and circuit\$6 and signal\$6 and sens\$6 and current\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 16:08
L10	3	touch adj screen adj calibration and terminal\$1 and control\$6 and circuit\$6 and signal\$6 and sens\$6 and current\$1 and switch\$6 and circuit\$6 and apply\$7 and calibrat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 16:09
L11	3	touch adj screen adj calibration and terminal\$1 and control\$6 and circuit\$6 and signal\$6 and sens\$6 and current\$1 and switch\$6 and circuit\$6 and apply\$7 and calibrat\$6 and error and correct\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 16:09
L12	3	touch adj screen adj calibration and terminal\$1 and control\$6 and circuit\$6 and signal\$6 and sens\$6 and current\$1 and switch\$6 and circuit\$6 and apply\$7 and calibrat\$6 and error\$1 and correct\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 16:10
L13	299	touch adj screen and calibration and terminal\$1 and control\$6 and circuit\$6 and signal\$6 and sens\$6 and current\$1 and switch\$6 and circuit\$6 and apply\$7 and calibrat\$6 and error\$1 and correct\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 16:10
L14	217	touch adj screen and calibration and terminal\$1 and control\$6 and circuit\$6 and signal\$6 and sens\$6 and current\$1 and switch\$6 and circuit\$6 and apply\$7 and calibrat\$6 and error\$1 and correct\$6 and coordinate\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 16:10
L15	70	touch adj screen and calibration and terminal\$1 and control\$6 and circuit\$6 and signal\$6 and sens\$6 and current\$1 and switch\$6 and circuit\$6 and apply\$7 and calibrat\$6 and error\$1 and correct\$6 and coordinate\$1 and coefficients	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 16:11
L16	67	touch adj screen and calibration and terminal\$1 and control\$6 and circuit\$6 and signal\$6 and sens\$6 and current\$1 and switch\$6 and circuit\$6 and apply\$7 and calibrat\$6 and error\$1 and correct\$6 and coordinate\$1 and coefficients and calculate\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 16:11

L17	28	touch adj screen and calibration and terminal\$1 and control\$6 and circuit\$6 and signal\$6 and sens\$6 and current\$1 and switch\$6 and circuit\$6 and apply\$7 and calibrat\$6 and error\$1 and correct\$6 and coordinate\$1 and coefficients and calculate\$6 and solv\$6 and equation\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 16:12
L18	28	touch adj screen and calibration and terminal\$1 and control\$6 and circuit\$6 and signal\$6 and sens\$6 and current\$1 and switch\$6 and circuit\$6 and apply\$7 and calibrat\$6 and error\$1 and correct\$6 and coordinate\$1 and coefficients and calculate\$6 and solv\$6 and equation\$1 and simultaneous\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 16:12
L19	27	touch adj screen and calibration and terminal\$1 and control\$6 and circuit\$6 and signal\$6 and sens\$6 and current\$1 and switch\$6 and circuit\$6 and apply\$7 and calibrat\$6 and error\$1 and correct\$6 and coordinate\$1 and coefficients and calculate\$6 and solv\$6 and equation\$1 and simultaneous\$6 and derive\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 16:13
L20	27	touch adj screen and calibration and terminal\$1 and control\$6 and circuit\$6 and signal\$6 and sens\$6 and current\$1 and switch\$6 and circuit\$6 and apply\$7 and calibrat\$6 and error\$1 and correct\$6 and coordinate\$1 and coefficients and calculate\$6 and solv\$6 and equation\$1 and simultaneous\$6 and derive\$6 and second	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 16:13
L21	27	touch adj screen and calibration and terminal\$1 and control\$6 and circuit\$6 and signal\$6 and sens\$6 and current\$1 and switch\$6 and circuit\$6 and apply\$7 and calibrat\$6 and error\$1 and correct\$6 and coordinate\$1 and coefficients and calculate\$6 and solv\$6 and equation\$1 and simultaneous\$6 and derive\$6 and second and order	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 16:13

L22	0	touch adj screen and calibration and terminal\$1 and control\$6 and circuit\$6 and signal\$6 and sens\$6 and current\$1 and switch\$6 and circuit\$6 and apply\$7 and calibrat\$6 and error\$1 and correct\$6 and coordinate\$1 and coefficients and calculate\$6 and solv\$6 and equation\$1 and simultaneous\$6 and derive\$6 and second and order and Taylor and seriws	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 16:14
L23	10	touch adj screen and calibration and terminal\$1 and control\$6 and circuit\$6 and signal\$6 and sens\$6 and current\$1 and switch\$6 and circuit\$6 and apply\$7 and calibrat\$6 and error\$1 and correct\$6 and coordinate\$1 and coefficients and calculate\$6 and solv\$6 and equation\$1 and simultaneous\$6 and derive\$6 and second and order and Taylor and series	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 16:14
S1	1	"20040178997" and impedance\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/21 12:01
S2	1	"20040178997" and temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/21 12:37
S3	1	"5053757".pn. and resist\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/21 13:25
S4	0	"20040178997" and error and correct\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/21 12:37
S5	1	"20040178997" and error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/21 12:37
S6	1	"5053757".pn. and gain and error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/21 13:28

S7	1	"5053757".pn. and gain and error and (microprocessor or processor or computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/21 13:29
S8	22345	touch adj screen	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 08:08
S9	1656	touch adj screen and calibration and system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:06
S10	1315	touch adj screen and calibration and system and plural\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:06
S11	511	touch adj screen and calibration and system and plural\$6 and terminal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:06
S12	464	touch adj screen and calibration and system and plural\$6 and terminal\$1 and control\$6 and circuit\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:07
S13	346	touch adj screen and calibration and system and plural\$6 and terminal\$1 and control\$6 and circuit\$6 and apply\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:07
S14	345	touch adj screen and calibration and system and plural\$6 and terminal\$1 and control\$6 and circuit\$6 and apply\$6 and signal\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:07
S15	274	touch adj screen and calibration and system and plural\$6 and terminal\$1 and control\$6 and circuit\$6 and apply\$6 and signal\$6 and terminal\$1 and sense\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:08
S16	266	touch adj screen and calibration and system and plural\$6 and terminal\$1 and control\$6 and circuit\$6 and apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:08

S17	266	touch adj screen and calibration and system and plural\$6 and terminal\$1 and control\$6 and circuit\$6 and apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5 and signal\$6 and touch\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:09
S18	247	touch adj screen and calibration and system and plural\$6 and terminal\$1 and control\$6 and circuit\$6 and apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5 and signal\$6 and touch\$6 and switch\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:10
S19	247	touch adj screen and calibration and system and plural\$6 and terminal\$1 and control\$6 and circuit\$6 and apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5 and signal\$6 and touch\$6 and switch\$6 and circuit\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:10
S20	247	touch adj screen and calibration and system and plural\$6 and terminal\$1 and control\$6 and circuit\$6 and apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5 and signal\$6 and touch\$6 and switch\$6 and circuit\$6 and apply\$6 and calibration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:10
S21	1	touch adj screen and calibration and system and plural\$6 and terminal\$1 and control\$6 and circuit\$6 and apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5 and signal\$6 and touch\$6 and switch\$6 and circuit\$6 and apply\$6 and calibration and impedance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:10
S22	247	touch adj screen and calibration and system and (plural\$6 and terminal\$1) and (control\$6 and circuit\$6) and (apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5) and (signal\$6 and touch\$6 and switch\$6 and circuit\$6 and apply\$6) and (calibration and impedance and touch screen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:27

S23	1	touch adj screen and calibration and system and (plural\$6 and terminal\$1) and (control\$6 and circuit\$6) and (apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5) and (signal\$6 and touch\$6 and switch\$6 and circuit\$6 and apply\$6) and (calibration and impedance and touch adj screen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:26
S24	0	touch adj screen and calibration and system and (plural\$6 and terminal\$1) and (control\$6 and circuit\$6) and (apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5) and (signal\$6 and touch\$6 and switch\$6 and circuit\$6 and apply\$6) and (calibration adj impedance and touch adj screen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:26
S25	0	touch adj screen and calibration adj impedance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:27
S26	1	touch adj screen and calibration and impedance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:27
S27	247	touch adj screen and calibration and system and (plural\$6 and terminal\$1) and (control\$6 and circuit\$6) and (apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5) and (signal\$6 and touch\$6 and switch\$6 and circuit\$6 and apply\$6) and calibration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:28
S28	1	touch adj screen and calibration and system and (plural\$6 and terminal\$1) and (control\$6 and circuit\$6) and (apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5) and (signal\$6 and touch\$6 and switch\$6 and circuit\$6 and apply\$6 and impedance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 10:34

S29	105	touch adj screen and calibration and system and (plural\$6 and terminal\$1) and (control\$6 and circuit\$6) and (apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5) and (signal\$6 and touch\$6 and switch\$6 and circuit\$6 and apply\$6 and (resistive or capacitive or inductive) and load)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:35
S30	98	touch adj screen and calibration and system and (plural\$6 and terminal\$1) and (control\$6 and circuit\$6) and (apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5) and (signal\$6 and touch\$6 and switch\$6 and circuit\$6 and apply\$6 and calibration and (resistive or capacitive or inductive) and load) and microprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:36
S31	58	touch adj screen and calibration and system and (plural\$6 and terminal\$1) and (control\$6 and circuit\$6) and (apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5) and (signal\$6 and touch\$6 and switch\$6 and circuit\$6 and apply\$6 and calibration and (resistive or capacitive or inductive) and load) and microprocessor and calculate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:36
S32	76	touch adj screen and calibration and system and (plural\$6 and terminal\$1) and (control\$6 and circuit\$6) and (apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5) and (signal\$6 and touch\$6 and switch\$6 and circuit\$6 and apply\$6 and calibration and (resistive or capacitive or inductive) and load) and microprocessor and calculate\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:36
S33	67	touch adj screen and calibration and system and (plural\$6 and terminal\$1) and (control\$6 and circuit\$6) and (apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5) and (signal\$6 and touch\$6 and switch\$6 and circuit\$6 and apply\$6 and calibration and (resistive or capacitive or inductive) and load) and microprocessor and calculate\$6 and measurement	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:37

S34	59	touch adj screen and calibration and system and (plural\$6 and terminal\$1) and (control\$6 and circuit\$6) and (apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5) and (signal\$6 and touch\$6 and switch\$6 and circuit\$6 and apply\$6 and calibration and (resistive or capacitive or inductive) and load) and microprocessor and calculate\$6 and measurement and error and applicat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:37
S35	59	touch adj screen and calibration and system and (plural\$6 and terminal\$1) and (control\$6 and circuit\$6) and (apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5) and (signal\$6 and touch\$6 and switch\$6 and circuit\$6 and apply\$6 and calibration and (resistive or capacitive or inductive) and load) and microprocessor and calculate\$6 and measurement and error and (applicat\$6 and calibration and (resistive or capacitive or inductive) and load) and respons\$6 and touch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 10:35
S36	0	touch adj screen and calibration and system and (plural\$6 and terminal\$1) and (control\$6 and circuit\$6) and (apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5) and (signal\$6 and touch\$6 and switch\$6 and circuit\$6 and apply\$6 and calibration and (resistive or capacitive or inductive) and load) and microprocessor and calculate\$6 and measurement and error and (applicat\$6 and calibration and (resistive or capacitive or inductive) and load) and respons\$6 and touch\$6 and apply\$6 and measurement and error and obtian\$6 and correct\$6 and touch and position and measured and touch and position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:51

S37	1	touch adj screen and calibration and system and (plural\$6 and terminal\$1) and (control\$6 and circuit\$6) and (apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5) and (signal\$6 and touch\$6 and switch\$6 and circuit\$6 and apply\$6 and calibration and (resistive or capacitive or inductive) and load) and microprocessor and calculate\$6 and measurement and error and (applicat\$6 and calibration and (resistive or capacitive or inductive) and load) and respons\$6 and touch\$6 and apply\$6 and measurement adj error and obtain\$6 and correct\$6 and touch adj position and measured and touch adj position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:50
S38	1	touch adj screen and calibration and system and (plural\$6 and terminal\$1) and (control\$6 and circuit\$6) and (apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5) and (signal\$6 and touch\$6 and switch\$6 and circuit\$6 and apply\$6 and calibration and (resistive or capacitive or inductive) and load) and microprocessor and calculate\$6 and measurement and error and (applicat\$6 and calibration and (resistive or capacitive or inductive) and load) and respons\$6 and touch\$6 and apply\$6 and measurement adj error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:51

S39	57	touch adj screen and calibration and system and (plural\$6 and terminal\$1) and (control\$6 and circuit\$6) and (apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5) and (signal\$6 and touch\$6 and switch\$6 and circuit\$6 and apply\$6 and calibration and (resistive or capacitive or inductive) and load) and microprocessor and calculate\$6 and measurement and error and (applicat\$6 and calibration and (resistive or capacitive or inductive) and load) and respons\$6 and touch\$6 and apply\$6 and measurement and error and obtain\$6 and correct\$6 and touch and position and measured and touch and position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 10:35
S40	19424	touch adj screen and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:54
S41	711	touch adj screen and display and (plural\$6 and terminal\$1) and (control\$6 and circuit\$6) and (apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5) and (signal\$6 and touch\$6 and switch\$6 and circuit\$6 and apply\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:55
S42	105	touch adj screen and display and (plural\$6 and terminal\$1) and (control\$6 and circuit\$6) and (apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5) and (signal\$6 and touch\$6 and switch\$6 and circuit\$6 and apply\$6) and (calibration and (resistive or capacitive or inductive) and load)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:56
S43	105	touch adj screen and display and (plural\$6 and terminal\$1) and (control\$6 and circuit\$6) and (apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5) and (signal\$6 and touch\$6 and switch\$6 and circuit\$6) and (apply\$6 and calibration and (resistive or capacitive or inductive) and load)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:57

S44	59	touch adj screen and display and (plural\$6 and terminal\$1) and (control\$6 and circuit\$6) and (apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5) and (signal\$6 and touch\$6 and switch\$6 and circuit\$6) and (apply\$6 and calibration and (resistive or capacitive or inductive) and load) and microprocessor and calculate\$6 and measurement and error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 08:57
S45	57	touch adj screen and display and (plural\$6 and terminal\$1) and (control\$6 and circuit\$6) and (apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5) and (signal\$6 and touch\$6 and switch\$6 and circuit\$6) and (apply\$6 and calibration and (resistive or capacitive or inductive) and load) and microprocessor and calculate\$6 and measurement and error and (applicat\$6 and calibration and (resistive or capacitive or inductive) and load) and respons\$6 and touch\$6 and apply\$6 and measurement and error and obtain\$6 and correct\$6 and touch and position and measured and touch and position and calibration and system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 09:00
S46	1562	touch adj screen and display and calibration and system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 09:00
S47	0	touch adj screen and display and calibration and system and touch adj postion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 09:00
S48	0	touch adj screen and display and calibration and system and touch adj postion and touch\$6 and measure\$6 and impedence	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 09:01
S49	0	touch adj screen and display and calibration and system and touch adj position and touch\$6 and measure\$6 and impedence	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 09:02

S50	37	touch adj screen and display and calibration and system and touch adj position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 09:02
S51	0	touch adj screen and display and calibration and system and touch adj position and impedance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 09:03
S52	14	touch adj screen and display and calibration and system and touch adj position and impedance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 09:03
S53	9	touch adj screen and display and calibration and system and touch adj position and impedance and microprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 09:52
S54	10	touch adj screen and calibration and system and touch adj position and impedance and microprocessor and error\$1 and correct\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 09:59
S55	0	touch adj screen and calibration and system and touch adj position and impedance and microprocessor and (error\$1 and due and environment and temperature and (wear and tear)) and correct\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 10:01
S56	0	touch adj screen and calibration and touch adj position and impedance and microprocessor and (error\$1 and due and environment and temperature and (wear and tear)) and correct\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 10:01
S57	1	touch adj screen and calibration and touch adj position and impedance and microprocessor and (error\$1 and due and environment and temperature and (wear or tear or old adj age)) and correct\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 10:02
S58	1	touch adj screen and calibration and touch adj position and (error\$1 and due and environment and temperature and (wear or tear or old adj age)) and correct\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 10:02

S59	1	touch adj screen and calibration and touch adj position and (error\$1 and due and environment and temperature and (wear or tear or old adj age))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 10:03
S60	1	touch adj screen and display and calibrat\$6 and touch adj position and (error\$1 and due and environment and temperature and (wear or tear or old adj age))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 10:04
S61	1	touch adj screen and display and calibrat\$6 and touch adj position and (error\$1 and environment and temperature and (wear or tear or old adj age))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 10:04
S62	22	touch adj screen and display and calibrat\$6 and touch adj position and (error\$1 and (environment or temperature or old adj age))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 10:11
S63	22	touch adj screen and calibrat\$6 and touch adj position and (error\$1 and (environment or temperature or old adj age))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 10:11
S64	9	touch adj screen and display and calibrat\$6 and touch adj position and (error\$1 and (environment or temperature or old adj age)) and correct\$6 and impedance and microprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 10:21
S65	100	touch adj screen and calibration and system and (plural\$6 and terminal\$1) and (control\$6 and circuit\$6) and (apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5) and (signal\$6 and touch\$6 and switch\$6 and circuit\$6 and apply\$6 and impedance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 10:34

S66	40	touch adj screen and calibration and system and (plural\$6 and terminal\$1) and (control\$6 and circuit\$6) and (apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5) and signal\$6 and touch\$6 and switch\$6 and circuit\$6 and apply\$6 and calibration and impedance and microprocessor and calculate\$6 and measurement and error and applicat\$6 and calibration and impedance and respons\$6 and touch\$6 and apply\$6 and measurement and error and obtain\$6 and correct\$6 and touch and position and measured and touch and position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 10:45
S67	0	touch adj screen and calibration and system and (plural\$6 and terminal\$1) and (control\$6 and circuit\$6) and (apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5) and signal\$6 and touch\$6 and switch\$6 and circuit\$6 and apply\$6 and calibration and impedance and microprocessor and calculate\$6 and measurement and error and applicat\$6 and calibration adj impedance and respons\$6 and touch\$6 and apply\$6 and measurement adj error and obtain\$6 and correct\$6 and touch adj position and measured and touch adj position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 10:47
S68	0	touch adj screen and calibration and system and (plural\$6 and terminal\$1) and (control\$6 adj circuit\$6) and (apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5) and signal\$6 and touch\$6 and switch\$6 adj circuit\$6 and apply\$6 and calibration and impedance and microprocessor and calculate\$6 and measurement and error and applicat\$6 and calibration adj impedance and respons\$6 and touch\$6 and apply\$6 and measurement adj error and obtain\$6 and correct\$6 and touch adj position and measured and touch adj position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 10:47

S69	0	touch adj screen and calibration and system and (plural\$6 and terminal\$1) and (control\$6 adj circuit\$6) and (apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5) and signal\$6 and touch\$6 and switch\$6 adj circuit\$6 and apply\$6 and calibration and impedance and microprocessor and calculate\$6 and measurement and error and applicat\$6 and calibration adj impedance and respons\$6 and touch\$6 and apply\$6 and measurement and error and obtain\$6 and correct\$6 and touch adj position and measured and touch adj position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 10:47
S70	52	touch adj screen and calibration and system and (plural\$6 and terminal\$1) and (control\$6 and circuit\$6) and (apply\$6 and signal\$6 and terminal\$1 and sense\$6 and effect\$5) and signal\$6 and touch\$6 and switch\$6 and circuit\$6 and apply\$6 and calibration and impedance and microprocessor and calculate\$6 and measurement and error and applicat\$6 and calibration and impedance and respons\$6 and touch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 12:53
S71	1	"20040178997"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 12:48
S72	0	"20040178997" and pural\$6 and terminal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 12:48
S73	1	"20040178997" and plural\$6 and terminal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/21 11:12
S74	0	"20030067451" and plural\$6 and terminal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 12:50

S75	0	"20030067451" and terminal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 12:50
S76	2	"20030067451"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 12:50
S77	0	"6,506,983".pn. and terminal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 12:51
S78	8	touch adj screen and calibration and system and (plural\$6 adj terminal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 13:22
S79	1	"6611257".pn. and plural\$6 adj terminal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 13:13
S80	2	"6611257".pn. and terminal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 13:17
S81	1	"6611257".pn. and calibration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 15:25
S82	2	touch adj screen and calibration adj system and (plural\$6 adj terminal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 13:23
S83	5	touch.adj screen adj calibration adj system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 13:37
S84	4	touch adj screen adj calibration adj system and terminal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 13:38

S85	0	"5053757".pn. and calibration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 15:23
S86	0	"5053757".pn. and calibrat\$6 adj system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 15:24
S87	1	"5053757".pn. and calibrat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/21 12:21
S88	0	"6611257".pn. and control adj circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 15:25
S89	0	"6611257".pn. and control\$6 adj circuit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 15:26
S90	1	"6611257".pn. and control\$6 and circuit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 15:27
S91	1	"6611257".pn. and control\$6 and circuit\$1 and impedance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 15:27
S92	36	touch adj screen and determin\$6 adj touch adj position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 08:08
S93	35	touch adj screen and determin\$6 adj touch adj position and use\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 08:09
S94	23	touch adj screen and determin\$6 adj touch adj position and use\$6 and ratio\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 08:09

S95	8	touch adj screen and determin\$6 adj touch adj position and use\$6 and ratio\$6 and currents	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 08:09
S96	19	touch adj screen and determin\$6 adj touch adj position and (use\$6 and ratio\$6 and current\$1 and flow\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 09:19
S97	7	touch adj screen and determin\$6 adj touch adj position and (use\$6 and ratio\$6 and current\$1 and flow\$6 and terminal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 08:13
S98	7	touch adj screen and determin\$6 adj touch adj position and (ratio\$6 and current\$1 and flow\$6 and terminal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 09:15
S99	4	touch adj screen and determin\$6 adj touch adj position and (ratio\$6 and current\$1 and flow\$6 and terminal\$1) and (apply\$6 and impedence and determin\$6 and error\$1) and (correct and determin\$6 adj touch adj position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 08:19
S10 0	4	touch adj screen and determin\$6 adj touch adj position and (ratio\$6 and current\$1 and flow\$6 and terminal\$1) and (apply\$6 and impedence and determin\$6 and error\$1) and (correct and determin\$6 adj touch adj position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 08:19
S10 1	3	touch adj screen and determin\$6 adj touch adj position and (ratio\$6 adj current\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 09:16
S10 2	36	touch adj screen and determin\$6 adj touch adj position (apply\$6 and impedence and determin\$6 and error\$1) and (correct and determin\$6 adj touch adj position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 09:20
S10 3	36	touch adj screen and determin\$6 adj touch adj position (apply\$6 adj impedence and determin\$6 and error\$1) and (correct and determin\$6 adj touch adj position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 09:20

S10 4	0	touch adj screen and determin\$6 adj touch adj position and (apply\$6 adj impedance and determin\$6 adj error\$1) and (correct and determin\$6 adj touch adj position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 09:20
S10 5	0	touch adj screen and determin\$6 adj touch adj position and (apply\$6 and impedance and determin\$6 adj error\$1) and (correct and determin\$6 adj touch adj position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 09:20
S10 6	4	touch adj screen and determin\$6 adj touch adj position and (apply\$6 and impedance and determin\$6 and error\$1) and (correct and determin\$6 adj touch adj position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 09:20
S10 7	2	"5053757".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 11:28
S10 8	0	"5053757".pn. and current adj ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 11:28
S10 9	1	"5053757".pn. and current and ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 11:43
S11 0	1	"5053757".pn. and error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 11:43